

ಶ್ರೀ ಎನ್. ಎ. ಚನ್ನೇಗೌಡ.—ಸ್ವಾಮಿ, ಪಾಂಡವಪುರ ತಾಲ್ಲೂಕಿನಲ್ಲಿ 66 ಕುಡಿಯುವ ನೀರಿನ ಬಾವಿಗಳನ್ನು ತೋಡಿಸಿದ್ದೇವೆಂದು ಹೇಳಿದ್ದೀರಿ, ಈ 66 ಬಾವಿಗಳಲ್ಲಿ ಯಾವ ಒಂದು ಬಾವಿ ಯಲ್ಲೂ ಕುಡಿಯುವುದಕ್ಕೆ ಒಂದು ಲೋಟ ನೀರೂ ಕೂಡ ಸಿಕ್ಕುವುದಿಲ್ಲ ಎಂಬುದು ತಮ್ಮ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಬಿ. ಎಲ್. ಗೌಡ.—ಅಲ್ಲಿ 29 ಬಾವಿಗಳಲ್ಲಿ ಮಾತ್ರ ಕುಡಿಯುವುದಕ್ಕೆ ನೀರಿಲ್ಲ ಎಂದು ಅಲ್ಲಂದ ಪರದಿ ಬಂದಿದೆ.

ಶ್ರೀ ಎನ್. ಎ. ಚನ್ನೇಗೌಡ.—ಅಲ್ಲಿರತಕ್ಕ ಬಾವಿಗಳಲ್ಲಿ ಒಂದು ಲೋಟ ನೀರು ಕೂಡ ಸಿಕ್ಕುವುದಿಲ್ಲ. ಅದ್ದರಿಂದ ತಮ್ಮ ಸರ್ಕಾರದ ಆದಳಿತದಲ್ಲಿ ಕುಡಿಯುವ ನೀರನ್ನು ಕೊಡುವುದಕ್ಕೆ ಏರ್ಪಾಡು ಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಬಿ. ಎಲ್. ಗೌಡ.—ಮಳೆ ಇಲ್ಲದೆ ಅಭಾವ ಪರಿಸ್ಥಿತಿ ಇರುವುದರಿಂದ ಎಲ್ಲೂ ನೀರಿಲ್ಲ. ಎಲ್ಲಾ ಬಾವಿಗಳನ್ನೂ ಆಳ ಮಾಡುವುದಕ್ಕೆ ಆದೇಶವನ್ನು ಕೊಟ್ಟಿದ್ದೇವೆ.

ಶ್ರೀ ಎನ್. ಹುಚ್ಚಮಾಸ್ತಿಗೌಡ.—ಮೈಸೂರು ರಾಜ್ಯದಲ್ಲಿ ಎಷ್ಟು ಗ್ರಾಮಗಳಿಗೆ ಇನ್ನೂ ಕುಡಿಯುವ ನೀರಿನ ಬಾವಿಗಳನ್ನು ಒದಗಿಸಬೇಕು ಎನ್ನುವ ಠೆಕ್ಕವನ್ನು ಇಟ್ಟುಕೊಂಡಿದ್ದೀರಾ ? ಮತ್ತು ಎಷ್ಟು ವರ್ಷಗಳಲ್ಲಿ ಅದನ್ನು ಪೂರೈಸಬೇಕೆಂದು ಕಾರ್ಯಕ್ರಮ ತಮ್ಮ ಮುಂದೆ ಇದೆ, ಎಷ್ಟು ಹಣವನ್ನು ತಾವು ಅದಕ್ಕೆ ಒದಗಿಸಿದ್ದೀರಿ ಎಂಬುದನ್ನು ಹೇಳುತ್ತೀರಾ ?

ಶ್ರೀ ಬಿ. ಎಲ್. ಗೌಡ.—3,553 ಗ್ರಾಮಗಳಿಗೆ ಇನ್ನು ಕುಡಿಯುವ ನೀರಿನ ಬಾವಿಗಳನ್ನು ಒದಗಿಸಬೇಕಾಗಿದೆ. ಎಲ್ಲಾ ಗ್ರಾಮಗಳಿಗೆ ನಾಲ್ಕನೆಯ ಪಂಚವಾರ್ಷಿಕ ಯೋಜನೆಯಲ್ಲಿ ಕುಡಿಯುವ ನೀರಿನ ಬಾವಿಗಳನ್ನು ಒದಗಿಸುವ ಪ್ರಯತ್ನ ಮಾಡಿದೆ. ಅದಕ್ಕಾಗಿ ನಾಲ್ಕನೆಯ ಪಂಚ ವಾರ್ಷಿಕ ಯೋಜನೆಯಲ್ಲಿ 2 ಕೋಟಿ ರೂಪಾಯಿಗಳನ್ನು ಅರಾಟ್ ಮಾಡಿದ್ದೇವೆ. ಈಗ ಹಾಲ ಪ್ರಸಕ್ತ ಸಾಲಿನಲ್ಲಿ 45 ಲಕ್ಷ ರೂಪಾಯಿಗಳನ್ನು ಅದಕ್ಕೋಸ್ಕರ ಮಂಜೂರು ಮಾಡಿದ್ದೇವೆ.

ಶ್ರೀ ಎಂ. ಎಚ್. ಜಯಪ್ರಕಾಶ ನಾರಾಯಣ್.—ಸ್ವಾಮಿ ಈಗಾಗಲೇ ನಮ್ಮ ರಾಜ್ಯದಲ್ಲಿ 6,776 ಕುಡಿಯುವ ನೀರಿನ ಬಾವಿಗಳನ್ನು ಕೊಡಿಸಿದ್ದೇವೆಂದು ಹೇಳಿದ್ದೀರಿ. ಇದರಲ್ಲಿ ಗ್ರಾಮಾಂತರ ಪ್ರದೇಶಗಳಲ್ಲಿ ಅಸ್ತುತ್ಯತಾ ಜಾಡ್ಯ ಇರತಕ್ಕ ಹರಿಜನರ ಕೇರಿಗಳಿಗೆ ತಮ್ಮ ನೀತಿಯ ಪ್ರಕಾರ ಎಷ್ಟು ಬಾವಿಗಳನ್ನು ತೋಡಿಸಿದ್ದೀರಿ ಎಂಬುದನ್ನು ಹೇಳುತ್ತೀರಾ ?

ಶ್ರೀ ಬಿ. ಎಲ್. ಗೌಡ.—ಹರಿಜನರಿಗಾಗಿಯೇ ಪ್ರತ್ಯೇಕ ಕುಡಿಯುವ ನೀರಿನ ಬಾವಿಗಳನ್ನು ತೋಡಿಸುವುದನ್ನು ಈಗ ಕೈಬಿಡಲಾಗಿದೆ. ಎಲ್ಲಾ ಕುಡಿಯುವ ನೀರಿನ ಬಾವಿಗಳಲ್ಲಿಯೂ ಎಲ್ಲ ರೀತಿಯ ಅಪಕಾಶವಿದೆ.

Construction of Approach Road to the Bridge at Udupi taluk

43. Smt. WINNIFRED F. FERNANDES (Coondapur).—

Will the Minister for Public Works be pleased to state :—

(a) whether they are aware that an approach road to the West of the Bridge at Bannadi Village in Udupi Taluk of South Kanara is necessary ;

(b) whether this was brought to the notice of the Chief Engineer, P.W.D. by the Local Member of this House during his visit to the place some three months back ;

(c) whether they would take immediate steps to construct the above approach road ?

A.— Sri B. V. MAGAVI (Deputy Minister for Public Works).—

(a) Yes.

(b) Yes.

(c) Will be examined.

As regards reply to Question No. 43, Sir, there is a little correction. For (c) it must be "the work is under construction".

Smt. WINNIFRED F. FERNANDES.—What is the estimate of the said approach road?

Sri B. V. MAGAVI.—The approaches are included in the present Rs. 4.12 lakhs programme.

Smt. WINNIFRED F. FERNANDES.—When this approach road will be taken up?

Sri B. V. MAGAVI.—The soling is already done. The metalling and other things must be done.

Smt. WINNIFRED F. FERNANDES.—Last month I have gone there and nothing was done; what do you think of it?

Sri B. V. MAGAVI.—There is certain amount of confusion on the part of the hon. member. She is contemplating improvement to the present road and not the approaches to it.

Smt. WINNIFRED F. FERNANDES.—The Chief Engineer has inspected that site and he assured that the work is a necessity. The work of that approach road is not taken up as yet; what do you say?

Sri B. V. MAGAVI.—Once again I beg to submit that there is confusion on the part of the hon. member. The road she is referring to is not the approach road.

Sri H. SIDDAVEERAPPA.—Sir, is it because the Deputy Minister is giving his maiden reply, he is agitated and confused? There is no member who has such clarity of vision as the hon. lady member. Is he demonstrating his ignorance?

Sri B. V. MAGAVI.—I have replied satisfactorily and I am prepared to satisfy the hon. member who comes from Harihar also.

(Interruptions)

* * * * *

* * * * * Matter expunged as ordered by the Chair.